3 H

	Application No.	Applicant(s)
Notice of Allowability		
	10/520,942	HAYASHIDA ET AL.
	Examiner	Art Unit
	Amy R. Cohen	2859
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-9</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	te nent/Comment
Paper No./Mail Date 1/12/05 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. 🔲 Other	

Application/Control Number: 10/520,942

Art Unit: 2859

DETAILED ACTION

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Mark Woodall on February 6, 2006.

The application has been amended as follows:

In the claims:

Claim 1:

- a. --a measuring means, the measuring means including:-- has been added between lines 1 and 2.
- b. --, wherein the measuring means determines movement of the spindle relative to the main body-- has been added before the period in line 8.

Claim 2:

c. "the main body;" and "the spindle;" have been deleted from lines 8 and 9, respectively.

Allowable Subject Matter

2. Claims 1-9 are allowed.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Page 2

The prior art of record does not disclose or suggest a measuring instrument wherein a pitch of the lead screw is twice as large or more than the difference between an external diameter and a core diameter of the lead screw, and the difference between the external diameter and the core diameter is one-fifth or less of the external diameter in combination with the remaining limitations of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following applications and patents disclose measuring instruments Hayashida et al. (US PGPUB 2004/0250439), Hayashida et al. (US PGPUB 2003/0121169), Terui et al. (US PGPUB 2003/0037455), Nishina et al. (U. S. Patent No. 6,553,685), Galestien (U. S. Patent No. 6,289,595), Zanier et al. (U. S. Patent No. 6,247,244), Sato et al. (U. S. Patent No. 6,176,021), Sasaki et al. (U. S. Patent No. 4,578,868), Nishikata (U. S. Patent No. 4,550,507), Sakata et al. (U. S. Patent No. 4,485,556), and Fernandez (U. S. Patent No. 3,971,137).
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy R. Cohen whose telephone number is (571) 272-2238. The examiner can normally be reached on 8 am 5 pm, M-F.

Application/Control Number: 10/520,942

Art Unit: 2859

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ARC

February 6, 2006

Diego Gutierrez

Supervisory Examiner Tech Center 2800